

Calvatis GmbH

calvatis
calgonit
industrial

Food
Catalogue 2017



SIMPLY**GOOD**CHEMISTRY

Your partner for...



...innovative hygiene management

Calvatis GmbH is one of the major independent manufacturers of detergents and disinfectants for industrial applications. We offer a wide range of customised hygiene concepts for the food, dairy, beverage and agriculture market.

Based on a huge fund of expertise, plenty of experience and future-oriented dedication to industrial cleaning processes Calvatis GmbH is successfully acting in the global market since more than 75 years.

The main application areas are

- ✓ hygiene advice and hygiene management
- ✓ beverage industry
- ✓ food industry
- ✓ milk processing industry
- ✓ agriculture
- ✓ equipment and plant engineering
- ✓ water treatment
- ✓ contract manufacturing

An advanced product assortment comprehending more than 1.000 items categorised in a well defined brand portfolio enables Calvatis GmbH to provide integrated hygiene concepts in any areas.

Most activities in terms of product research and development are concentrated in our headquarters located in Ladenburg what allows Calvatis GmbH a concerted approach on this issue in close co-operation with our domestic as well as international partners.

Based on sophisticated product lines and a comprehensive service portfolio Calvatis GmbH can offer a constantly high quality level and the very best cost-value ratio.

Continuous improvement processes which are subject to a strict monitoring system and the strong will to break new ground open exciting possibilities of international co-operations featuring synergetic effects in any respect.

As a contract partner of various equipment manufacturers Calvatis GmbH takes care from the very beginning of the supply-chain that all marketed devices, installations and technical systems comply with the highest standards in terms of design, practicability, quality and cost-efficiency.

Our focus on the service sector coming along with an according mentality is another distinctive feature compared to competing market actors.

A high quality and environmental consciousness belong to our self-evident business objectives permitting Calvatis GmbH to meet all requirements in a permanently changing market the best and fastest way possibly.

Content



	Page
Foam Cleaner	4
Surface disinfection	6
Oxidative cleaning booster	7
Circulation cleaning	8
Defoamers	10
Manual cleaning and disinfection	11
Industrial floor cleaning	12
High Pressure Cleaner	13
Personal Hygiene	14
Special concepts	15
Color concept	17
Certification	18
Contact	19



Foam Cleaner

Open Plant Cleaning (OPC)



acidic

Product	Description	
calgonit SF 504	Highly acidic foam cleaner. very effective for the removal of tenacious deposits of protein, grease and hard water scale. Easy to remove from surfaces leaving a shiny surface after rinsing.	jerrycan 24 kg Art.-Nr. 75147405 barrel 240 kg Art.-Nr. 75147100 IBC 700 kg Art.-Nr. 75147000
calgonit SF 506	Multi purpose, acidic cleaner based on phosphoric acid. Very effective for removal of tenacious soils like rust, protein and blood. Gentle to aluminum and galvanized iron.	jerrycan 24 kg Art.-Nr. 75218402 barrel 220 kg Art.-Nr. 75218100
calgonit SF 5501	Phosphorus free, low corrosive, acidic cleaner used for removal of lime scale residues of alkalinity and light organic soiling. Produces a stable foam and is suitable for cleaning of machinery, work surfaces, containers, tiled floors and walls.	jerrycan 22 kg Art.-Nr. 72745405 barrel 200 kg Art.-Nr. 72745102

Alkaline with chlorine

Product	Description	
calgonit CF 310	Alkaline foam detergent with active chlorine to remove organic soil contaminants from machinery, containers, tiled walls and floors.. calgonit CF 310 is hard water compatible and can easily be rinsed off.	jerrycan 24 kg Art.-Nr. 78174415 barrel 235 kg Art.-Nr. 78174413 IBC 670 kg Art.-Nr. 78174001
calgonit CF 313*	Alkaline, strongly foaming detergent with active chlorine. The product is suitable for all degrees of water hardness and removes effectively organic deposits.	jerrycan 24 kg Art.-Nr. 75913401
calgonit CF 315	Alkaline foam detergent with active chlorine. The product is suitable for all degrees of water hardness and contains a special inhibitor allowing the use on aluminium and galvanized steel. Removes effectively fat and protein as well as any other persistent, organic deposits. The product provides a stable foam.	jerrycan 24 kg Art.-Nr. 75231400 barrel 230 kg Art.-Nr. 75231105 IBC 680 kg Art.-Nr. 75231004
calgonit CF 325	Alkaline foam cleaner with active chlorine. Removes organic soil contaminants, forms a stable foam and has good fat solving properties. It is hard water compatible and can easily be rinsed off.	jerrycan 24 kg Art.-Nr. 72805443 IBC 670 kg Art.-Nr. 72805014

*Use biocides safely. Always read the label and product information before use.

Foam Cleaner

Open Plant Cleaning (OPC)



Alkaline without chlorine

Product	Description	
calgonit NF 400	Optimised, liquid foam detergent. The product forms a stable well clinging foam leading to rapid soil penetration. Removes especially tenacious and carbonised soils like tar, burned grease, starch and protein and therefore is preferably used for smoke house cleaning.	jerrycan 24 kg Art.-Nr. 72831414 barrel 260 kg Art.-Nr. 72831102 IBC 720 kg Art.-Nr. 72831007
calgonit NF 401	Optimised, liquid foam detergent. The product forms a stable foam with good cling properties. It solves fat and shows good effect due to its rapid soil penetration. Removes especially tenacious and carbonised soil like tar, burned grease, starch, protein and edible oil and is therefore ideal clinging for smoke house cleaning.	jerrycan 28 kg Art.-Nr. 75157405 barrel 280 kg Art.-Nr. 75157101 IBC 840 kg Art.-Nr. 75157001
calgonit NF 406	Liquid alkaline foam detergent. The product forms a stable foam and is especially suitable to remove fat, oil, protein and other organic soil. calgonit NF 406 is applied for cleaning of machinery, tanks, tiled walls and floors, controls water hardness and can be easily rinsed off.	jerrycan 24 kg Art.-Nr. 75404400 barrel 220 kg Art.-Nr. 75404100
calgonit NF 5401	Liquid, highly caustic foam detergent can be specifically designed to remove tenacious soil like tar, burned starch and greases. The product forms an excellent foam and is mainly used for smoke house cleaning.	jerrycan 30 kg Art.-Nr. 72875457 barrel 270 kg Art.-Nr. 72875107 IBC 750 kg Art.-Nr. 72875007



Surface disinfection



Product	Description	
calgonit DS 622*	Alcoholic disinfectant especially for treating surfaces where hydrous solutions cannot be applied. Fast killing of unwanted germs and is suitable especially for the (break) disinfection e.g. of cutting and packing machines as well as in the filling area.	carton 12 x 1 l Art.-Nr. 25632600 jerrycan 5,2 kg Art.-Nr. 25632400 jerrycan 17 kg Art.-Nr. 25632401 barrel 170 kg Art.-Nr. 25632100 IBC 720 kg Art.-Nr. 25632001
calgonit DS 629*	Liquid acidic foam disinfectant based on peracetic acid and hydrogen peroxide. Forms a stable foam and is suitable for large-area disinfection.	jerrycan 24 kg Art.-Nr. 75887400 barrel 200 kg Art.-Nr. 75887100 IBC 960 kg Art.-Nr. 75887001
calgonit DS 680*	Disinfectant concentrate based on dialdehydes and quaternary ammonium compounds. calgonit DS 680 is highly effective, has a broad microbicidal spectrum of activity. calgonit DS 680 is listed in the official recommendation list for epidemic control of the „Ministry of Agriculture, Fisheries and Food (MAFF)“ in England.	jerrycan 20 kg Art.-Nr. 72841405 barrel 205 kg Art.-Nr. 72841100 IBC 940 kg Art.-Nr. 72841100
calgonit DS 683*	Surface active, mildly alkaline disinfectant based on microbiocidal alkylamines. The product has a broad spectrum of activity, is scarcely affected in its activity by protein, is good fat solving, nearly odourless and non corrosive. calgonit DS 683 does not attack surfaces made of aluminium.	jerrycan 10,1 kg Art.-Nr. 75921402 jerrycan 20 kg Art.-Nr. 75921403 barrel 210 kg Art.-Nr. 75921100
calgonit DS 686 blau*	Surface active, mildly alkaline disinfectant based on microbiocidal alkylamines. calgonit DS 686 blau is especially suitable for sole disinfection in basins of hygiene stations. scarcely affected in its activity by protein, is good fat solving, nearly odourless and non corrosive.	jerrycan 20 kg Art.-Nr. 75624400
calgonit sporexalin*	Liquid, oxidizing disinfectant based on hydrogen peroxide. The product does not foam and can be used cold and hot. calgonit sporexalin is suitable for many applications of immersion-, circulation- or spray disinfection.	jerrycan 25 kg Art.-Nr. 29050417 barrel 200 kg Art.-Nr. 29050104 IBC 550 kg Art.-Nr. 29050005
calgonit DS 650 T*	Ready-for-use on alcohol resistant surfaces. Perfume free and due to the special composition calgonit DS 650 T is well tolerated by skin and particularly suitable for allergic persons.	bucket 400 Tücher Art.-Nr. 25640602

*Use biocides safely. Always read the label and product information before use.

Oxidative cleaning booster

Product	Description	
calgonit AD 860	Slightly alkaline bleach agent with high content of active chlorine. calgonit AD 860 is suitable for use in tanks, containers, pipe work, hoses, crate washers as well as for treatment of cutting boards.	jerrycan 24 kg Art.-Nr. 79049458 barrel 240 kg Art.-Nr. 79049161
calgonit AD 865	Liquid, oxidizing cleaning booster based on hydrogen peroxide. The product does not foam and can be used cold and hot. calgonit AD 865 can be used as an oxidizing additive to boost cleaning of acidic or caustic solutions and to remove tenacious organic soil.	jerrycan 25 kg Art.-Nr. 29050422 barrel 200 kg Art.-Nr. 29050106
calgonit AD 866	Cleaning booster in powder form based on active oxygen suitable for combined use with alkaline cleaning detergents. calgonit AD 866 leads to significantly enhanced performance of alkaline cleaning detergents and accelerates particularly the dissolution of organic polymeric compounds featuring beyond bleaching effect on dyes.	jerrycan 25 kg Art.-Nr. 75397201



Circulation cleaning

CIP/SIP



acidic

Product	Description	
calgonit SN 542	Highly acidic detergent. The product has excellent wetting properties and is able to solve fat, protein as well as inorganic deposits. calgonit SN 542 is suitable for CIP cleaning of containers, tanks, pipe work and for spray application in crate washing machines. calgonit SN 542 is low foaming above 30 °C, reusable and can be easily rinsed off.	jerrycan 26 kg Art.-Nr. 75602411 barrel 240 kg Art.-Nr. 75602101 IBC 700 kg Art.-Nr. 75602001
calgonit A	Phosphoric acid based detergent. The product shows good wetting properties and removes fat, protein and inorganic deposits like water scale. calgonit A is used for CIP cleaning, low foaming above 30°C , reusable and can be easily rinsed off.	jerrycan 30 kg Art.-Nr. 78355406 barrel 280 kg Art.-Nr. 78355100 IBC 790 kg Art.-Nr. 78355003
calgonit jalu sauer plus	Liquid, highly acidic detergent based on nitric acid. calgonit jalu sauer plus is a powerful descalant and has good wetting, cleaning and emulsifying properties due to a particular combination surfactant. Special inhibitors in the product prevent formation of nitrous gas and reduce corrosion attack on plastic gaskets. calgonit jalu sauer plus can be used cold and hot and is easily dosed by conductivity. The product is low foaming even when it comes to spray application and can be easily rinsed off.	jerrycan 29 kg Art.-Nr. 25234416 barrel 265 kg Art.-Nr. 25234100

Alkaline with chlorine

Product	Description	
calgonit 6010	Concentrated, alkaline, liquid product with active chlorine. The product does not foam and removes organic deposits like protein, fats, starch, milk- and beverage residues. The product can be dosed by conductivity and is easily rinsed off leaving cleaned surfaces in excellent hygienic conditions.	jerrycan 24 kg Art.-Nr. 78154436 barrel 240 kg Art.-Nr. 78154100 IBC 710 kg Art.-Nr. 78154005
calgonit U flüssig spezial*	Liquid, alkaline detergent concentrate with active chlorine. calgonit U flüssig spezial does not foam and contains an effective inhibitor preventing the attack on aluminium, copper and brass.	jerrycan 24 kg Art.-Nr. 78393405 barrel 260 kg Art.-Nr. 78393150 IBC 750 kg Art.-Nr. 78393004

*Use biocides safely. Always read the label and product information before use.

Circulation cleaning

CIP/SIP

calvatis
calgonit
industrial

Alkaline without chlorine

Product	Description	
calgonit RT spezial	Highly concentrated caustic detergent with defoamer. The product is especially suitable for hot circulation and spray cleaning of tanks, pasteurisers, pipe work, containers, brew kettles, whirlpools, centrifuges and bottles made of Polycarbonate or Polyethylene-terephthalate. calgonit RT spezial does not foam if applied above 40 °C and is easily dosed by conductivity.	jerrycan 30 kg Art.-Nr. 75325401 barrel 290 kg Art.-Nr. 75325100 IBC 840 kg Art.-Nr. 75325001
calgonit NN 442	Liquid, silicate containing detergent. Removes very efficiently protein, fat as well as oils, leaves surfaces deposit-free and in an excellent hygienic condition. calgonit NN 442 contains special raw materials which soak tenacious soil featuring an anti-sticking-effect in frying plants. If used for spray cleaning calgonit NN 442 is low foaming above 50°C. It is suitable for aluminium.	jerrycan 24 kg Art.-Nr. 72834405 barrel 235 kg Art.-Nr. 72834100
calgonit NN 472	Highly effective, non foaming caustic detergent. calgonit NN 472 can easily be dosed by conductivity and is especially suitable for use in industrial washing machines to clean crates and transport carts in food factories, as well as for CIP application. calgonit NN 472 has been designed to remove burned-in fat and oil.	jerrycan 26 kg Art.-Nr. 72823409 barrel 240 kg Art.-Nr. 72823102 IBC 690 kg Art.-Nr. 72823004
calgonit NN 5454	Highly concentrated caustic detergent with defoamer. The product is especially suitable for hot circulation and spray cleaning of tanks, pasteurisers, pipe work, brew kettles, whirlpools and centrifuges.	jerrycan 30 kg Art.-Nr. 78153418 barrel 300 kg Art.-Nr. 78153100 IBC 900 kg Art.-Nr. 78153009



Defoamers

Product	Description	
calgonit DR 092	Highly effective defoamer to prevent mechanical and chemical foaming. Suitable for foam control in broth baths, crate washers and other highly turbulent systems. Shows an excellent effect in a wide pH and temperature range, and is easily pumpable at low temperatures.	barrel 220 kg Art.-Nr. 75387100
calgonit DR 080	Very effective defoamer preferably used for cold water areas. The product suppresses foam formation in washing and processing water caused by starch and proteins. It is easy to pump also at lower temperatures.	jerrycan 28 kg Art.-Nr. 72889428 IBC 900 kg Art.-Nr. 72889000
calgonit DR 088	Highly effective defoamer based on silicones to prevent disturbing mechanical and chemical foam. Shows an outstanding defoaming effect at all temperatures and is especially suitable for wastewater treatment.	jerrycan 25,175 kg Art.-Nr. 25764400



Manual cleaning and disinfection (MRD)



Product	Description	
calgonit AR	Neutral , phosphate free, highly concentrated all purpose cleaner. The product does not contain perfumes, is highly foaming and compatible to a wide range of materials. calgonit AR has an excellent fat solving capability and is suitable for manual cleaning of floors, tiles, walls and devices made of metal, wood or plastics.	jerrycan 20 kg Art.-Nr. 78351408 barrel 200 kg Art.-Nr. 78351100
calgonit Intensiv Fettlöser	Designed for efficient and fast manual cleaning. calgonit Intensiv Fettlöser is based on a combination of active surfactants and guarantees therefore excellent cleaning results. calgonit Intensiv Fettlöser is pH neutral, featuring a very good grease and oil solving effect.	bucket 10 kg Art.-Nr. 72907401
calgonit AF 104	Mildly alkaline fat solvent and all purpose cleaner. calgonit AF 104 has been particularly designed for the manual cleaning of heavily soiled objects, appliances and floors, as well as for cleaning with steam jet appliances. It can be used to clean aluminium, bronze, nickel, steel, stainless steel and plastics.	jerrycan 5,13 kg Art.-Nr. 72807421 jerrycan 22 kg Art.-Nr. 72807415 barrel 210 kg Art.-Nr. 72807100 IBC 960 kg Art.-Nr. 72807002



Industrial floor cleaning



Product	Description	
tru-lit GR 50	Dirt solvent with a pH-value such as an all purpose detergent. It is ideal for stone floors made of marble, travertine, granite, slate, concrete and other alkali resistant natural or reconstituted stones. tru-lit GR 50 cuts through crusted soil and grease as well as polymer films. It is an optimal combination of agents which solves heavy soiling. Due to its foam free formulation tru-lit GR 50 is especially suitable for auto-scrubber.	jerrycan 10,3 kg Art.-Nr. 75689402 barrel 200 kg Art.-Nr. 75689100
Solvin SR	Low foaming liquid product suitable for cleaning of floors, tiles, walls and equipment made of metal, wood or plastic as well as for external cleaning of tanks and vessels. Solvin SR can be used in floor cleaning machines and with high pressure cleaners as well.	jerrycan 24 kg Art.-Nr. 75323403 barrel 220 kg Art.-Nr. 75323101
calgonit NN 497	Non foaming caustic detergent with a high content of chelates. Due to its special composition the product removes protein, starch, lime deposits as well as rubber traces on floors. calgonit NN 497 can be dosed by conductivity and has high sequestering properties. It is suitable for CIP application and can be used in industrial washing machines.	jerrycan 24 kg Art.-Nr. 72802405



High Pressure Cleaner



Product	Description	
calgonit HDN	Mildly alkaline, foaming, liquid product effectively removing fat, oil and resinified soil. calgonit HDN is very material-friendly and has been mainly designed for cleaning motor vehicles, engines, engine parts and awnings.	jerrycan 10,1 kg Art.-Nr. 78260401 jerrycan 21 kg Art.-Nr. 78260407 barrel 220 kg Art.-Nr. 78260100
calgonit LPR	Moderate foaming, mildly alkaline product. calgonit LPR is suitable for manual use featuring excellent beyond if properties in spray- as well as high-pressure systems meant for purification of tankers and canvas covers of trucks. Foam applications are possible with proper equipment. calgonit LPR can also be used as floor cleaner either manually or by machine to remove tenacious dirt deposits.	jerrycan 11 kg Art.-Nr. 75196408 jerrycan 24 kg Art.-Nr. 75196401 barrel 200 kg Art.-Nr. 75196100 IBC 670 kg Art.-Nr. 75196000
calgonit Opti Clean	High performance liquid foam cleaner suitable for all surfaces resistant against mild alkalinity. Removes even tenacious soil from vehicles, agricultural equipment, box bodies, awnings and side plankings.	jerrycan 11 kg Art.-Nr. 75956401



Product	Description	
calgonit Hautschutzlotion	Faintly greasing and rapidly infiltrating prevention and care cream calming down and flushing stressed skin. The cream is easy to dispense and makes the skin feel good. Natural coconut oil contains useful vitamin B. The cream is free of mineral, silicone as well as of paraffin oil which might impact the skin functionality.	bottles 6 x 500 ml Art.-Nr. 25862600
calgonit HA 026	Ready-to-use, liquid lotion for hand cleaning and decontamination. The use of calgonit HA 026 essentially improves hand hygiene of personnel handling food in production. calgonit HA 026 is suitable for regularly cleaning of soiled hands, especially before hand sanitizing.	bottles 12 x 1 l Art.-Nr. 22876602 jerrycan 2 x 5 l Art.-Nr. 22876601
calgonit Händedesinfektion	Quickly effective disinfectant based on 2-Propanol for the hygienic hand disinfection.	bottles 10 x 1l Art.-Nr. 25660600 jerrycan 5 l Art.-Nr. 25660400
calgonit Handreiniger (geruchsneutral)	calgonit Handreiniger has a strong cleaning effect, is pH-neutral and lipid regulating, whereby an excellent skin tolerance is achieved. calgonit Handreiniger doesn't leave soap- and soil residues in sinks and is economic in use.	bottles 12 x 1 l Art.-Nr. 25155600 jerrycan 5 l Art.-Nr. 25155400
calgonit H-Des*	Products for hand disinfection need a good skin tolerance, short contact time and broad spectrum kill calgonit H-Des meets this requirements. calgonit H-Des contains neither ethanol nor raw materials of animal origin. Thus calgonit H-Des meets the Kosher and Halal requirements in the food processing industry.	bottles 12 x 1 l Art.-Nr. 25920600 jerrycan 5 l Art.-Nr. 25920401



*Use biocides safely. Always read the label and product information before use.

Special concepts

Transport tank cleaning (TKT)



Product	Description	
calgonit CF 315	Alkaline foam detergent with active chlorine. The product is suitable for all degrees of water hardness and contains a special inhibitor allowing the use on aluminium and galvanized steel. Removes effectively fat and protein as well as any other persistent, organic deposits. The product provides a stable foam.	jerrycan 24 kg Art.-Nr. 75231400 barrel 230 kg Art.-Nr. 75231105 IBC 680 kg Art.-Nr. 75231004
calgonit Gluekill	Special product suitable for removal of tenacious residues caused by latex based glues on metal and most plastics. It is especially recommended for the cleaning of inner and outer surfaces of crate washers. The former required intensive mechanical cleaning with spatulas or high pressure is omitted. This results in a significant time-saving.	bottles 6 x 500 ml Art.-Nr. 75848600 jerrycan 9,1 kg Art.-Nr. 75848400
calgonit NN 499	Liquid, highly concentrated, caustic detergent. The product contains special surfactants enhancing cleaning and controlling foam in spray application. calgonit NN 499 doesn't foam at temperatures above 40 °C when used as spray cleaner and can be easily dosed by conductivity.	jerrycan 30 kg Art.-Nr. 75308408 barrel 270 kg Art.-Nr. 75308102 IBC 800 kg Art.-Nr. 75308004
calgonit AD 888	Concentrated additive that accelerates the removal of self adhesive labels during crate washing. calgonit AD 888 already works in low concentrations at a temperature higher than 40 °C. The result is a faster label removal. If the pressure of the spraying nozzles is high enough, the removal of labels is significantly improved. Avoids sticking of labels on surfaces and minimizes deposits of glue in the washer.	jerrycan 18 kg Art.-Nr. 75508401



Special concepts

Long Cling



Product	Description	
calgonit SF 522	Acid, phosphate-free foam cleaner. Due to a special surfactant composition, the product produces a very stable, long cling foam and removes even tenacious soil like lime scale, rust and protein as well as residual alkalinity. calgonit SF 522 produces hygienic clean and sparkling surfaces.	jerrycan 12 kg Art.-Nr. 75626403 jerrycan 24 kg Art.-Nr. 75626400 barrel 220 kg Art.-Nr. 75626100
calgonit CF 314	Concentrated, alkaline foam cleaner with active chlorine. calgonit CF 314 builds up a long clinging foam and has excellent cleaning properties. It effectively removes protein and fat as well as any other persistent, organic deposits.	jerrycan 24 kg Art.-Nr. 75185403 barrel 230 kg Art.-Nr. 75185102
calgonit AF 108	Mildly alkaline general purpose cleaner. The product is suitable for manual, foam or soak applications and effectively removes fat, oil and protein deposits. calgonit AF 108 contains organic chelates to bind water hardness and is non corrosive against most materials. Due to its special composition the product is easily rinsed off and does not form white deposits often found with silicated detergents.	jerrycan 11 kg Art.-Nr. 75159409 jerrycan 22 kg Art.-Nr. 75159400 barrel 200 kg Art.-Nr. 75159100 IBC 600 kg Art.-Nr. 75159001
calgonit NF 422	Highly active alkaline foam cleaner for difficult cleaning tasks. The product forms a stable, long clinging foam and is suitable for cleaning of machinery, conveyors, filling plants, walls and floors. calgonit NF 422 is particularly useful where fat, oil and protein soiling is encountered.	jerrycan 24 kg Art.-Nr. 72878411 barrel 235 kg Art.-Nr. 72878104 IBC 640 kg Art.-Nr. 72878006
calgonit DS 666*	Highly alkaline foam detergent. The combination of high pH and efficient biocidal active substances reduces a broad spectrum of harmful bacteria. The product forms a very stable foam for enhanced contact time also on vertical surfaces. calgonit DS 666 removes especially organic contamination like fat and protein and can be used for nearly all water conditions and is easy to rinse.	jerrycan 24 kg Art.-Nr. 75932400 barrel 230 kg Art.-Nr. 75932100




*Use biocides safely. Always read the label and product information before use.

Color concept



The color coding



Examples



When using the products, you have to observe applicable precautions for the handling of chemicals! Danger notices and safety advice are at the corresponding safety data sheets.

Before you can use of a cleaning and disinfectant, you have to check the impact to the affected material!

Certification



ZERTIFIKAT

Hiermit wird bescheinigt, dass die

Calvatis GmbH
 Dr.-Albert-Reimann-Straße 16a
 68526 Ladenburg
 Deutschland
 mit den im Anhang gelisteten Standorten

ein **Qualitäts- und Umweltmanagementsystem** eingeführt hat und anwendet.

Geltungsbereich:
 Entwicklung, Herstellung und Vertrieb von Reinigungs- und Desinfektionsmitteln für den industriellen Bereich, die Landwirtschaft sowie für das Calgonit Hygienekonzept einschließlich HACCP

Durch ein Audit, dokumentiert in einem Bericht, wurde der Nachweis erbracht, dass das Managementsystem die Forderungen der folgenden Regelwerke erfüllt:

ISO 9001 : 2008
ISO 14001 : 2004 + Cor 1 : 2009

Zertifikat-Registrier-Nr. 001575 QM08 UM
 Zertifizierungsdatum 2012-10-29
 Gültig bis 2015-10-28

DQS GmbH
 Michael Drechsel
 Geschäftsführer

Akreditierte Stelle: DQS GmbH, August-Schanz-Straße 21, 60433 Frankfurt am Main

Anhang zum Zertifikat
 Registrier-Nr. 001575 QM08 UM

Calvatis GmbH
 Dr.-Albert-Reimann-Straße 16a
 68526 Ladenburg
 Deutschland

Standort	Geltungsbereich
391787 Calvatis GmbH Kaiser-Josef-Platz 41 40509 Wetzlar Österreich	Vertrieb von Reinigungs- und Desinfektionsmitteln für den industriellen Bereich, die Landwirtschaft sowie für das Calgonit Hygienekonzept einschließlich HACCP
505688 Calvatis GmbH Neu Ammerlaa 4 8906 Bregenz Österreich	Vertrieb von Reinigungs- und Desinfektionsmitteln für den industriellen Bereich, die Landwirtschaft sowie für das Calgonit Hygienekonzept einschließlich HACCP

Dieser Anhang (Stand: 2012-10-29) ist nur gültig in Verbindung mit dem oben genannten Zertifikat.

IQNet
 THE INTERNATIONAL CERTIFICATION NETWORK[®]
CERTIFICATE

IQNet and DQS GmbH Deutsche Gesellschaft zur Zertifizierung von Managementsystemen hereby certify that the company

Calvatis GmbH
 Dr.-Albert-Reimann-Straße 16a
 68526 Ladenburg
 Germany

with the organizational units/sites as listed in the annex has implemented and maintains a **Quality and Environmental Management System**.

Scope
 Development, production and sales of cleaners and disinfectants for the industrial sector, agriculture as well as Calgonit Hygienekonzept (Calgonit hygiene concept) including HACCP

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standards:

ISO 9001 : 2008
ISO 14001 : 2004 + Cor 1 : 2009

Date of certification 2012-10-29
 Valid until 2015-10-28
 Registration Number: DE-001575 QM08 UM

Michael Drechsel
 Managing Director of DQS GmbH
 President of IQNet

IQNet Partners:
 AENOR Spain, AFNOR Certification France, ABS-Vergoets International Belgium, ANEC Mexico, APCER Portugal, CCC Cyprus, CIBR Italy, CQC China, CSM China, DQS Czech Republic, DQS Denmark, DQS Holding GmbH Germany, DQS Denmark, FCAV Brazil, FONDOIRMA Venezuela, ISONTEC Colombia, INEC Mexico, INNORIP Tunisia, Inspector Certification Poland, IRAM Argentina, JQA Japan, KCS Korea, MCT Malaysia, RIMM AS Norway, SDA Ireland, PCBQ Poland, Quality Australia Australia, RRI Russia, SSI Israel, SIO Slovenia, SIRIM QAS International Malaysia, SQS Switzerland, STAC Romania, TSEI St. Petersburg Russia, TSE Turkey, TÜRKSG Turkey

IQNet is represented in the USA by: AFNOR Certification, CIBR, DQS Holding GmbH and NSAI Inc.

Fachbetrieb nach § 19 I WHG

Hiermit wird bestätigt, dass die Firma **Calvatis GmbH**, Dr. Albert-Reimann-Straße 68526 Ladenburg

für nachstehende Tätigkeiten überprüft wurde und einen Überwachungsvertrag abgeschlossen hat.

Anlagen zum	Stoffbezogene Anlagenart		Heiz-, Ventilations- und erdölnl. Anlagen (Typ 1)		Anlagen mit hoch-, stark- und erdölnl. Flüssigkeiten (Typ 2)		Anlagen mit and. wasser- geführenden Flüssigkeiten (Typ 3)	
	I	II	I	II	I	II	I	II
I. Lagern, Abfüllen, Umschlagen	-	-	-	-	-	-	X	X
II. Herstellen, Bearbeiten, Verwenden	-	-	-	-	-	-	X	X
Tätigkeiten	I	II	I	II	I	II	I	II
Einbauen	-	-	-	-	-	-	X	X
Aufstellen	-	-	-	-	-	-	X	X
Instandhalten, Instandsetzen	-	-	-	-	-	-	X	X
Reinigen	-	-	-	-	-	-	X	X

Weitere Angaben zur Tätigkeit:
 Einbauen, Aufstellen, Instandhalten u. Instandsetzen von Behältern u. Apparaten einricht. Befüll- u. Entleerungsrichtungen, Aufstell-/Umstellrichtungen, Überfallschlangen, andere Sicherheitsvorrichtungen sowie Rohrleitungen aus Stahl oder Kunststoff, Reinigen von Behältern, Apparaten, Rohrleitungen aus Stahl oder Kunststoff u. Armaturen.

Mannheim, 30.05.2005
TÜV Industrie Service GmbH
 TÜV SÜD Gruppe
 Technische Überwachungsorganisation nach § 22 VbM-G

Der Leiter
 Dr. Bernd Heeser

gültig bis: 30.05.2008
 Anlage zum: 19 I WHG
 Überwachungsvertrag Nr. 970327701

Contact



Calvatis GmbH
Dr.-Albert-Reimann-Str. 16 a
D-68526 Ladenburg
Tel.: +49 6203 105 - 0
info@calvatis.com

Calvatis GmbH
Kaiser-Josef-Platz 41
A-4600 Wels
Tel.: +43 7242 42899 - 0
info.at@calvatis.com

Calvatis B.V.
Dreef 1
NL- 5325 XD Well
Tel.: +31 343 56 39 59
info.nl@calvatis.com

Calvatis AG
Mülistr. 3
CH-8852 Altendorf
Tel.: +41 55 451 10 10
info.ch@calvatis.com

Calvatis Srl
Via-Carlo-Abarth 17
I-39012 Merano
Tel.: +39 0473 232016
info.it@calvatis.com

Calvatis Hijyen San. Ltd. Şti.
R 2 - Blok No: 1-2 • 34517
TR-Esenyurt/Istanbul
Tel.: +90 212 623 183 3
info.tr@calvatis.com

Calvatis s.r.o.
Nad Trätou 26
SK-060 01 Kezmarok
Tel.: +421 911 703 402
info.sk@calvatis.com

Calvatis S.R.L.
str. Fabricii nr. 56
RO-400620 Cluj Napoca
Tel.: +40 264 415 830
info.ro@calvatis.com

Calvatis MEA S.A.L.
P.O. Box: (8) Antelias
Main Road
LB-Beirut
Tel.: +961 4525009
info.lb@calvatis.com

Calvatis OOO
Leninskiy prospect, 42-1
RU-119119, Moscow
Tel.: +7 495 938 7136
info.ru@calvatis.com

Calvatis LLC
Antonovicha street 5-b
UA-01004 Kiev
Tel.: +380 445 311 462
info.ua@calvatis.com

Calvatis UAB
B. Sruogos str. 36
LT-10220 Vilnius
Tel.: +370 52-340-336
info.lt@calvatis.lt

Calvatis s.r.o.
U Prioru 1/1059
CZ-161 01 Praha 6
Tel.: +420 220 196660

Calvatis Holding Pte Ltd. 87
Jalan Selamat
SGP-418599 Singapur
info@calvatis.com

Calvatis BEL
Timiryazeva str. 123/1
BEL-220020 Minsk
Tel.: +375 29 7009118
info@calvatis.by

www.calvatis.com



SIMPLYGOODCHEMISTRY

www.calvatis.com

Stand: März 2017